

















## Stanchions & Accessories







### 栏杆及栏杆配件

2019-7-1

Item Code	Description	Packaging		
		Qty/ctn	Cbm/ctn	
<b>ECONOMIC STANCHIONS</b>				
<b>BP202E</b> 	Queue Barrier 63管平底伸缩带栏杆 (320水泥平底) 1, Size: Base Ø320mm X Ø63mm X H910mm 2, Belt: 48*2000mm (Max: 3000mm) 3, Material: 201#Stainless Steel, Titanium Gold, Steel Powder Coated 4, Material Thickness: 0.8mm (Steel); 0.6mm (S/S)	10posts/ctn	0.044	
		2 Bases/ctn	0.012	
<b>BP224</b> 	Metal Barrier 63管锥底塑料盖伸缩带栏杆 (340水泥锥底) 1, Size: Ø340mm X Ø63mm X H910mm 2, Belt: 48*2000mm (Max: 3000mm) 3, Material: Steel Powder Coated+ PP Cover, 201#Stainless Steel 4, Post: Steel Powder Coated, 201#Stainless Steel	10posts/ctn	0.044	
		2 Bases /ctn	0.018	
<b>TRADITIONAL STANCHIONS</b>				
<b>BP202</b> 	Retractable Belt Stanchions/ Cement Dome Base 63管锥底伸缩带栏杆 (320水泥锥底) 1, Size: Ø320mm X Ø63mm X H910mm 2, Belt: 48*2000mm (Max: 3000mm) 3, Material: 201#Stainless Steel, Titanium Gold, Steel Powder Coated	2posts/ctn	0.011	
		2 Bases /ctn	0.017	
		 		
<b>BP202M</b> 	Guardrail Station 63管锥底伸缩带栏杆 (320水泥锥底) 1, Size: Ø320mm X Ø63mm X H910mm 2, Belt: 48*2000mm (Max: 3000mm) 3, Material: Steel Powder Coated	2posts/ctn	0.011	
		2 Bases /ctn	0.017	


<b>BP202B</b> 	Half Round Ball Top Belt Barriers/Cement Dome Base 半圆球63管锥底伸缩带栏杆（320水泥锥底）	2posts/ctn	0.011	
	1,Size: Ø320mm X Ø63mm X H910mm 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel, Steel Powder Coated	2 Bases /ctn	0.017	
<b>BP201</b> 	2pcs Post Retractable Belt barrier/ Cement Dome Base 50管63头锥底伸缩带栏杆（320水泥锥底）	2posts/ctn	0.011	
	1,Size:Ø320mm X Ø50mm /Ø63mmx H910mm 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel , Titanium Gold ,Steel Powder Coated	2 Bases /ctn	0.017	
<b>BP203</b> 	Railing Stand / Cement Flat Base 平底伸缩带栏杆（360水泥平底）	2posts/ctn	0.011	
	1,Size:Base Ø360mm X Ø63mm X H910mm 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel,Titanium Gold, Steel Powder Coated	2 Bases /ctn	0.015	
<b>BP204C</b> 	Brake Control Barrier 带缓冲加高锥底伸缩带栏杆（360水泥锥底）	2posts/ctn	0.012	
	1, Size:Ø360mm X Ø63mm X H1016mm 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel,Titanium Gold, Steel Powder Coated	2 Bases /ctn	0.021	
<b>BP204</b> 	Aluminium Post 铝槽式伸缩带喷塑栏杆（360水泥锥底）	2posts/ctn	0.012	
	1, Size:Ø360mm X Ø63mm X H1016mm 2,Belt:48*2000mm (Max:3000mm ) 3, Material:Pole: Aluminum (Gauge:1.5mm) Base Cover:Steel Powder Coated (Gauge::1.0mm)	2 Bases /ctn	0.021	
<b>BP222</b> 	Double Line Barriers 双层锥底伸缩带栏杆（360水泥锥底）	2posts/ctn	0.011	
	1, Size: Ø360mm X Ø63mm X H910mm 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel,Titanium Gold, Steel Powder Coated	 2 Bases /ctn	0.021	

<b>BP223</b> 	Portable Post 76管锥底伸缩带栏杆 (360水泥锥底)	2posts/ctn	0.014	
	1, Size: $\text{Ø}360\text{mm} \times \text{Ø}76\text{mm} \times \text{H}910\text{mm}$ 2,Belt:48*3000mm (Max:5000mm ) 3,Material: 201#Stainless Steel, Steel Powder Coated	2 Bases /ctn	0.021	
<b>CAST IRON BASE STANCHIONS</b>				
<b>BP220</b> 	Stackable Retractable Belt Stanchions/ Cast Iron Flat Base 平底伸缩带栏杆(铸铁底)	2posts/ctn	0.012	
	1, Size: $\text{Ø}360\text{mm} \times \text{Ø}63\text{mm} \times \text{H}910\text{mm}$ 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel, Steel Powder Coated	 2 Bases /ctn	0.011	
<b>BP221</b> 	Retractable Belt Stanchions/ Cast Iron Flat Base 平底伸缩带栏杆(铸铁底)	2posts/ctn	0.012	
	1, Size: $\text{Ø}350\text{mm} \times \text{Ø}63\text{mm} \times \text{H}910\text{mm}$ 2,Belt:48*2000mm (Max:3000mm ) 3,Material: 201#Stainless Steel, Steel Powder Coated	 2 Bases /ctn	0.012	
<b>BP220W</b> 	Roller Belt Barrier Cast Iron Flat Base (base:7.8-8.0KGS) 带滚轴伸缩带栏杆 (铸铁底)	2posts/ctn	0.012	
	1, Size: $\text{Ø}350\text{mm} \times \text{Ø}51\text{mm} \times \text{H}910\text{mm}$ 2,Belt:48*2000mm (Max:3000mm ) 3,Material: Post:Steel Powder Coated +Base: Cast Iron	2 Bases /ctn	0.016	
<b>ROPE STANCHIONS</b>				
<b>BP207</b> 	Flat Top Rope Stanchion/ Cement Flat Base (Not Including Rope) 平头挂绳平底栏杆 (320水泥平底)	2posts/ctn	0.014	
	1, Size: $\text{Ø}320\text{mm} \times \text{Ø}50\text{mm} \times \text{H}910\text{mm}$ 2, Material:201#Stainless Steel , Titanium Gold	2 Bases /ctn	0.012	
<b>BP208</b> 	Ball Top Rope Stanchion / Cement Dome Base (Not Including Rope) 圆头腰锥底挂绳栏杆 (320水泥z锥底)	2posts/ctn	0.017	
	1, Size: $\text{Ø}320\text{mm} \times \text{Ø}50\text{mm} \times \text{H}1000\text{mm}$ 2, Material:201#Stainless Steel , Titanium Gold	 2 Bases /ctn	0.023	

<b>BP208D</b> 	Ball Top Control Barrier / Cement Dome Base (Not Including Rope) 圆头腰锥底挂绳栏杆 (320水泥锥底)  1, Size: Ø320mm X Ø50mm X H1005mm  2, Material:201#Stainless Steel , Titanium Gold	2posts/ctn	0.017	
<b>BP208E</b> 	Utility Crowd Control Posts (Not Including Rope) 圆头挂绳栏杆 (340水泥锥底)  1,Size:Ø340mm X Ø50mm X H970mm  2,Material:201#Stainless Steel	2posts/ctn	0.017	
<b>BP209</b> 	Crown Top Crowd Control Barrier / Cement Flat Base (Not Including Rope) 皇冠头平底挂绳栏杆 (320水泥平底)  1, Size: Ø320mm X Ø50mm X H1000mm  2, Material:201#Stainless Steel , Titanium Gold	2posts/ctn	0.016	
<b>BP209E</b> 	Queueway Stanchions / Cement Dome Base (Not Including Rope) 皇冠头锥底挂绳栏杆 (水泥底)  1,Size:Ø340mm X Ø50mm X H970mm  2,Material:201#Stainless Steel	2posts/ctn	0.016	
<b>BP208B</b> 	Cast Iron Base Railing Stand (Not Including Rope) 圆头双层底挂绳栏杆 (铸铁底)  1, Size:Ø350mm X Ø50mm X H1000mm  2, Material:201#Stainless Steel , Titanium Gold	2posts/ctn	0.017	
<b>BP221-C</b> 	Small Rope Barriers / Cast Iron Base (Not Including Rope) 小杆铸铁挂绳栏杆  1, Size: Ø360mm X Ø31.8mm X H780mm  2, Material: Pole:Chrome Plating, Cover: 201# Brushed Stainless Steel	10posts/ctn	0.009	
		2 Bases /ctn	0.012	

## SPECIAL STANCHIONS


<b>BP270</b> 	Plastic Stanchions With Rubber Dome Base 塑料栏杆配橡胶底  1, Size:Ø490mm X Ø63mm X H1015mm, 2, Belt:48*3000mm,Plain wave, 3, Material: U-PVC Pole+ Rubber Base, 4, Pole Color: Black ,Yellow ,Orange	10posts/ctn	0.052	
		3 Bases /ctn	0.05	


<b>BP295C-S</b> 	Cone Topper 路锥配件 Material: ABS Color: Red, Yellow,Orange,Black Belt: 2M length	30	0.100	
--	---	----	-------	--


<b>BP295C-L</b> 	Cone Topper 路锥配件 Material: ABS Color: Red, Yellow,Black Belt: 9.6M length	20	0.138	
--	--	----	-------	--

## SIGN & STANCHION


<b>BP215</b> 	Banner Stanchions/ Cement Flat Base (Including 1 Stanchion+1 *1200mm Bar+1 Ring) 皇冠头平底广告栏杆（水泥底） 1, Size:Base Ø320mm X Ø50mm X H1000mm 2,Bar length:1200mm 3,Material:201#Stainless Steel	2posts/ctn	0.016	
		2 Bases /ctn	0.012	
		10 bars/ctn	0.019	








<b>BP230G</b> 	Display Stanchions With 12'Bowl/ Cement Flat Base (Not Including Rope) 栏杆座带展示盒  1,Size: Ø320mm X Ø63mm X H910mm  2,Material: 201#Stainless Steel , Steel Powder Coated	2posts/ctn	0.011	
		2 Bases /ctn	0.015	

<b>BP230F</b> 	8' Display PC Bowl With Connector 8寸 容器  12' Display PC Bowl With Connector 12寸 容器			

<b>BP230H</b> 	Board Stand 插牌架 Material: Steel Powder Coated			
--	--	--	--	--
















<b>BP230J</b> 	Magezin Rack 目录架 Material: Steel Powder Coated			
--	---	--	--	--

<b>BP230E</b> 	Tall Sign Frame 长支架插牌  1, Frame Size:L:L317mm Xw230mm Small Pole:Ø20mm X H 300mm 2. Material:201#Stainless Steel			
--	--	--	--	--

<b>BP-230N</b> 	<b>Sign Holder</b>  Available Material:Steel Powder Coated,Chrome.Gold			
<b>BP230A</b> 	<b>Rope Barrier With Sign Frame/ Cement Flat Base</b> 平底挂绳栏杆带插牌 (320水泥平底)  1,Size: Ø320mm X Ø50mm 2,Frame Size:L:L317mm X W230mm 3.Material:201#Stainless Steel , Titanium Gold	2posts/ctn	0.016	
<b>BP230B</b> 	<b>Rope Stanchions With Sign Fram</b> /Cement Dome Base(Not Including Rope) 锥底挂绳栏杆带插牌 (320水泥锥底)  1,Size: Ø320mm X Ø50mm 2,Frame Size:L:L230mm X W317mm 3.Material:201#Stainless Steel , Titanium Gold	2posts/ctn	0.016	
<b>BP230C-A4</b> 	<b>Sign Frame For Railing stand</b> 伸缩带栏杆座插牌  Size:L230mm Xw317mm (A4) Or Optional Size Material:Steel Powder Coated,201#Stainless Steel,Titanium Gold	10	0.068	
<b>BP230C-A3</b> 	<b>Sign Frame For Belt Stanchions</b> 伸缩带栏杆座插牌  Size:L317mm X W440mm (A3) / Or Optional Size  Material:Steel Powder Coated,201#Stainless Steel, Titanium Gold			
<b>BP230D-A4</b> 	<b>Sign Frame For Rope Stanchions</b> 挂绳栏杆座插牌  Size:L317mm Xw230mm (A4) Or Optional Size Available Material:201#Stainless Steel , Titanium Gold			
<b>BP230D-A3</b> 	<b>Sign Frame For Rope Stanchions</b> 挂绳栏杆座插牌  Size:L317mm X W440mm (A3) Or Optional Size  Material:201#Stainless Steel , Titanium Gold			

## WALL MOUNT BARRIER

<b>BP250A</b> 	Plastic Wall Barrier 塑料挂墙式栏杆座  Size:138mm X 75mm X H70mm /Belt:2-3 M (S) Size:145mm X 95mm X H90mm /Belt:5 M (M) Material:Abs Boday Color: Black, Yellow, Red	25	0.045	
<b>BP250AM</b> 	Magnetic Wall Mount Barrier 塑料挂墙式栏杆座  Size:138mm X 75mm X H70mm /Belt:2 M (Max:3m) Material:Abs Color: Black, Yellow, Red	25	0.045	
<b>BP250C</b> 	Metal Wall Mount Barrier 挂墙式栏杆座  Size:Ø63mm X H125mm/Belt:2-3 M (S) Size:Ø76mm X H125mm/Belt:3-5 M (S) Material:201#Stainless Steel,Steel Powder Coated	25	0.045	
		25	0.063	
<b>BP250E</b> 	Metal Wall Barrier 挂墙式栏杆座 Size:Ø63mm X H125mm /Belt:2-3 M Material: Steel Powder Coated	25	0.045	
<b>BP250F</b> 	Wall Mount Retractable Belt Barrier 挂墙式栏杆座 Size:Ø63mm X H125mm /Belt:2-3 M Material: Steel Powder Coated	25	0.045	
	Wall mount receiver 挂墙配件 ( 1 spline+ 6 screw)			
	Wall mount receiver 挂墙配件 ( 1 spline+ 8 screw)			
<b>ROPE &amp; HOOK</b>				
<b>BP240A</b> 	Velour Rope With Snap Ends 绒绳  Size:Ø32mm*L1500mm Size:Ø40mm*L1800mm Vелveret Rope Color: Red/Black /Blue And Optional Color	25	0.088	
		20	0.088	
<b>BP240E</b> 	Braided Rope With Snap Ends 编织绳  Size:Ø32mm*L1500mm Size:Ø40mm*L1800mm Rope Color: Red/Black/Blue/Natural, Optional Color	25	0.055	
		20	0.055	

<b>BP240H</b> 	Hook For Rope 绳钩 Size:Ø32mm -S Size:Ø40mm -L Color: Silver,Gold, Brass ,Optional 			
<b>BP- 200</b> 	Wall Receptors 挂墙片 Size: L48mm X 37mm Color: Silver, Gold 	100		
<b>ACCESSORIES AND SPARE PARTS</b>				
<b>BP261</b> 	63 Cassette With Belt 63管伸缩头 Size:Dia.63 Belt: 2-3M	50	0.027	
<b>BP261B</b> 	76 Cassette With Belt 76管伸缩头 Size:Dia.76 Belt: 3-5M	50	0.037	
<b>BP201-head</b> 	Head for stanchion BP201 63头配伸缩头 Dia.63 mm Belt: 2-3M 	50	0.027	
	Cassette Belt End 拉手			
	Cassette Spline 边条			
	Tape with Tape End 带拉手织带 Belt: 2m or Optional 			
	Tape 织带 Color: Optinal Size: 100Yard			
	Belt with Logo 丝印织带 Color: Silk Screen or Sublimation Print Size: 2m or optional			
	Ball Top (not including the ring) 圆头,不含挂环 Color: Silver ,Gold			



	Crown Top (not including the ring) 皇冠头,不含挂环 Color: Silver ,Gold			
	Flat Top (not including the ring) 平头,不含挂环 Color: Silver ,Gold			
	Ring 挂环 Color: Silver ,Gold			
	Ring 挂环			

**SPARE PARTS 主要配件说明**

**Dome Base /Available Size:320mm,340mm, 360mm**



**Flat Base /Available Size:320mm, 360mm**



**Case Iron Base / Available Size::320mm, 350mm, 360mm**



**Webbing Swatch**

**Available Color: Red Black, Blue, Yellow, Orange, Green, Grey.....**



**REMARK:**

- \*The above prices are for a full mixed container only and valid within 90days .
- \* Minimum Order Quantity (MOQ) is USD 10000 per shipment.  
If order quantity is less than MOQ, the terms is Ex-work.
- \*Prices subject to change without notice.
- \*The above prices are for our regular packing only.  
If buyer need to change the packing method,extra packing cost would be covered by buyer

- \* All the items can be made from stainless steel, brushed stainless steel and brass material .
  - \* We reserve the rights to change and improve our products.
  - \* Please use only wet soft cloth with water to clean the surface of the products.
  - \* Mis-use and handling can lead to structural damage which cannot be covered by our warranty.
  - \* This product is not to be used or stored in rain , damp salt air .
  - \* Our warranty: within 6 month after you receive our goods.
  - \* Payment: T/T (40% deposit before production and 60% balance prior to delivery)
  - \* Delivery day: 25-35 days after confirming the order and receive the deposit.
- We are looking forward to hearing your further comments!